



www.iautamech.com

IAUTA GRANITE POLISHING MACHINE

IGP-8C/12C/16C/20C/24C



Follow us
On WeChat



Follow us
On WhatsApp




- +86 15396309252
- info@iautamech.com
- www.iautamech.com

IAUTA (QUANZHOU) MACHINERY CO., LTD.



1 Double cylinder driving grinding head movements



2 Non-contact sensor, automatic detection of plate shape



3 Centralized oil supply, automatic lubrication, and is equipped with alert function



4 Adopts domestic and foreign famous brands' components: Japan's Mitsubishi PLC, Japan Yaskawa inverter, Taiwan Shihlin switch, contractor



5 8-24 pcs polishing heads, single beam swims to polish



6 Processing the stand base and cross beam by CNC Machine, ensure the precision.



	Unit	IGP8	IGP12	IGP16	IGP20	IGP24
Quantity of polishing head	pcs	8	12	16	20	24
Useful working width	mm	400-1250	400-1250	400-1250	400-1250	400-1250
Useful working thickness	mm	10-50	10-50	10-50	10-50	10-50
Belt transfer speed	mm/min	0-3	0-3	0-3	0-3	0-3
Water consumption	m ³ /h	7	9	10	15	22
Power of spindle motor	kw	7.5	7.5*8+9*4	7.5*12+9*4	7.5*16+9*4	7.5*20+9*4
Total power	kw	78	117	147	180	210
Overall dimension (L×W×H)	mm	5800*2300 *2500	7800*2300 *2500	8500*2300 *2500	9500*2300 *2500	10800*2300 *2500
Approximata weight	kg	10000	14000	18000	22000	25000